



*Empowering  
smart learning*

Charging Systems • Adjustable Desks • AV Mounts

**ERGOTRON®**  
EDUCATION



Compatible with



Windows 8



Designed for  
Surface

# PowerShuttle® Tablet Charging Cart, AC

Chromebook™ • Windows® 8 • Android™  
Surface™ • Ultrabook™ • MacBook® • iPad®

## Universal Design

- Accommodates up to 30 tablets, Chromebooks, MacBooks or laptops
- Two country-specific outlet power strips are provided to plug-in AC adapters of varying sizes and shapes

## PowerShuttle Technology


- Innovative PowerShuttle technology automatically optimizes total charge time for up to 30 devices and safely prevents overloading electrical circuits by efficiently grouping the number of devices that are charged at one time
- Charging time reduction of approximately 30% over competitive round-robin charging systems

## Durable, Secure Storage

- Robust key and lock assembly keeps devices secure
- Double-hinged, locking steel front doors with recessed handle open 180° to reveal notebook storage shelves
- Rugged steel frame construction, steel front and rear doors, and molded fire-rated ABS exterior withstand heavy classroom use
- Secure back compartment provides IT access to AC adapter storage and power strips. Clean, neat cable management runs power to units
- Lightweight; this compact cart design makes it easy to safely move from room to room
- For user and equipment safety, the entire cart is tested and certified to UL 60950 and 1667 standards



## Do your adapters fit?



Ergotron's flexible design cleanly accommodates a variety of brick and plug styles for adapters that won't fit in standard outlet strips

## Tablet Charging Wall Mount 12

- Accommodates most Chromebooks and tablets with up to 11.6" displays
- Show & Stow™ technology tilting tablet trays make loading and unloading devices simple
- Accommodates plugs on short and long side of device
- Slim profile – only 6" (15,2 cm) deep
- Six-point locking bracket keeps devices safe and secure
- Quick, simple installation

	PS Laptop Management Cart	PS Laptop Charging Cart	PS Tablet Charging Cart, AC
US/CA/MX	24-246-085	24-291-085	24-302-085
EU	24-250-085	24-295-085	24-304-085
UK/IE/HK/MY/SG	24-249-085	24-294-085	24-303-085
AU/NZ	24-251-085	24-296-085	24-307-085
CN	24-247-085	24-292-085	24-305-085
JP	24-248-085	24-293-085	24-306-085
TH			24-423-085
KO			24-385-085

Compatible with



Windows 8



Designed for  
Surface

### SAFETY FOR YOUR STUDENTS AND STAFF

Ergotron not only uses UL-certified components, but goes a step further to have UL certify the entire system to guarantee safe use within the classroom, media center and around the campus. Ergotron products are tested and certified to UL 60950-1 standards, FCC requirements and all applicable country-specific regulations.

Make sure to require this of your device charging solutions. Safe for your devices, your building and your students.



Certification
UL 60950 Safety of Information Technology Equipment, CAN/CSA C22 2 No. 60950
UL 1667 Tall Institutional Carts for use with Audio, Video and Television Type Equipment
ICES-003 Issue 4, Class A
FCC Part 15 Class A
Country-specific certification as required
RoHS and Reach compliant material used

Windows is a registered trademark of Microsoft Corporation.

© 2012 Google Inc. All rights reserved. Android and Chromebook are trademarks of Google Inc. The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.

	Tablet Charging Wall Mount 12
US/CA/MX	DM12-1005-1
EU	DM12-1005-2
UK/IE/HK/MY/SG	DM12-1005-3
AU/NZ	DM12-1005-4
CN	DM12-1005-5
JP	DM12-1005-6



Tablet Charging Wall Mount 12



PowerShuttle Tablet Charging Cart



PowerShuttle Laptop Management Cart



PowerShuttle Laptop Charging Cart


Devices	Most tablets and Chromebooks (verify slot size for compatibility)		Chromebook, Windows 8, Android, Apple & laptops	
Charge Method	AC			
Screen Size	< 11.6"	< 13.3"	< 15.6"	< 15.6"
# of Devices	12	30	20	20
Slot Size	11.4" x 10.1" x 1.0" 289 x 257 x 25 mm	14.3" x 12.3" x 1.1" 364 x 313 x 28 mm	15.7" x 12.3" x 1.9" 400 x 313 x 48 mm	15.7" x 12.3" x 1.9" 400 x 313 x 48 mm
Sync Capability	Wireless only	No	WOL via Ethernet (cables pre-installed)	No
	Full UL 60950 certification. It's important to require this of your supplier!			
Secure	Locking steel doors			

Compatible with iPad

# Tablet Management for iPad® Devices

## Charge. Sync. Secure.

- Charge and sync 10–48 iPad devices at once
- Full 2.1A charge capability
- Charge all devices simultaneously with one power cord to the wall socket
- Switch from charge to sync mode by connecting a Macintosh™ computer or PC
- Optional individual charge status indicators (ISI)
- Accommodates most iPad cases
- Designed for use with Apple® Configurator and iTunes®
- Small footprint keeps valuable space available
- Ventilated, enclosed storage keeps tablets safe and secure
- Durable, easy-to-clean exterior
- Steel and aluminum extrusion framework with durable locking steel doors



**Tablet Management Desktop 16**



**Tablet Management Station 16**

Affordable, compact USB charging station for 16 tablets, featuring full syncing capability. Universal compatibility for Apple and Android devices, such as iPad, Samsung Galaxy Tab and Amazon Kindle.



iPad devices and cables not included

Made for iPod iPhone iPad

**Tablet Management Cable Kits**

These certified USB cables for iPad are a custom length to fit perfectly with Ergotron Tablet Management products



Up to **40% smaller and lighter** than competitive offerings

**Tablet Management Desktop or Cart**  
Lightning to USB Cable Kit (16 pack) 97-800  
30-pin to USB Cable Kit (16 pack) 97-766

**Tablet Management Station or Wall Mount**  
Lightning to USB Cable Kit (10 pack) 97-801  
30-pin to USB Cable Kit (10 pack) 97-812



**Security Bracket Accessory Kit 97-735**

"Made for iPod," "Made for iPhone," and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone, or iPad, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, iPhone, or iPad may affect wireless performance.

iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Lightning is a trademark of Apple Inc.

Amazon, Kindle, Kindle Fire, the Amazon Kindle logo and the Kindle Fire logo are trademarks of Amazon.com, Inc. or its affiliates.

Compatible with  
iPad

**Tablet Management  
Wall Mount 10**

Very low profile – only 4" (10 cm)  
deep, even with access doors


Show and Stow™ presents tablets  
to user when door is opened

Six-point lock assembly and  
security screws to attach to  
the wall

Pre-installed Lightning or  
30-pin cables



Charging Systems



**Tablet Management  
Wall Mount 10**



**Tablet Management  
Desktop 16**



**Tablet Management  
Cart 32, 48**



**Tablet Management  
Station 16**

<b>Devices</b>	30 pin: iPad, iPad 2, iPad (3rd generation) Lightning: iPad Air, iPad (4th generation), iPad mini with Retina Display, iPad mini	30 pin: iPad, iPad 2, iPad (3rd generation) Lightning: iPad Air, iPad (4th generation), iPad mini with Retina Display, iPad mini Kindle, some Android		Most USB charged devices	
<b>Charge Method</b>	USB 2.4A (cables pre-installed)	USB 2.1A (cables not included)			
<b>Screen Size</b>	< 10.1"			< 10.6"	
<b># of Devices</b>	10	16	32 or 48	16	
<b>Slot Size</b>	7.9" x 10.2" x .9" 201 x 259 x 23 mm	7.9" x 11.3" x .85" 201 x 288 x 22 mm	7.9" x 11.3" x .85" 201 x 288 x 22 mm	Variable	
<b>Sync Capability</b>	Yes				
<b>cUL US LISTED</b>	Full UL 60950 certification. It's important to require this of your supplier!				
<b>Secure</b>	Steel doors with 6-point lock assembly	Steel doors with 3-point lock assembly		No	

	Wall Mount 10 30-Pin Cables (pre-installed)	Wall Mount 10 Lightning Cables (pre-installed)	Desktop 16 with ISI	Desktop 16 without ISI	Cart 32 with ISI	Cart 32 without ISI	Cart 48 with ISI	Station 16
US/CA/MX	DM10-1006-1	DM10-1007-1	24-327-085	24-372-085	24-328-085	24-373-085	24-329-085	DM16-1003-1
EU	DM10-1006-2	DM10-1007-2	24-339-085	24-378-085	24-340-085	24-379-085	24-341-085	DM16-1003-2
UK/IE/SNG/HK/MY	DM10-1006-3	DM10-1007-3	24-333-085	UK/IE 24-375-085	24-334-085	UK/IE 24-376-085	24-335-085	DM16-1003-3
AU/NZ	DM10-1006-4	DM10-1007-4	24-345-085		24-346-085		24-347-085	DM16-1003-4
CN	DM10-1006-5	DM10-1007-5	24-351-085		24-352-085		24-353-085	DM16-1003-5
JP	DM10-1006-6	DM10-1007-6	24-357-085		24-358-085		24-359-085	DM16-1003-6
TH			24-409-085		24-410-085		24-411-085	
KO			24-400-085		24-401-085		24-402-085	

# A body in motion stays in motion

~ Isaac Newton

## How do we keep our students in motion?



### Problem

Today's sedentary lifestyles are affecting our youth and their classroom performance. Compound this with pressures to sacrifice physical education time for more classroom time for the core subjects.

### Challenge

How do we increase in-class physical activity to help our students' overall health and performance?

### Introducing: the LearnFit™ Adjustable Standing Desk

Transform classrooms into active learning environments with on-demand height-adjustable student desks.

- Encourages healthy student behavior that leads to physical and academic improvements
- Each student instantly and intuitively personalizes the desk to his or her preferred height using the hand lever
- No need for school staff to make adjustments before, during or after school hours
- One size fits all – 20" (50 cm) height adjustment range is designed for students age 9 through adult
- Mobile casters – easily roll the LearnFit desks to quickly reconfigure classrooms for small group collaborative breakouts, and easily return to full classroom configuration when done; the casters lock as well
- Rugged and proven design – includes exclusive patented Ergotron CF Technology
- Optional storage basket holds class supplies

LearnFit Basket  
(coming soon)



Hand brake



Locking casters



Classroom Stool  
(coming soon)



LearnFit Adjustable  
Standing Desk

Part #	24-458-200
 Weight Capacity	≤ 15 lbs (7 kg)
 Lift	19.6" (50 cm)
Worksurface Height	Minimum 31.8" (81 cm) Maximum 51.4" (131 cm)
Worksurface Dimensions	24"W X 23"D (61 cm X 58 cm)
Base Footprint	21.9" x 21.3" (56 x 54 cm)
Shipping Dimensions	36.5" x 32.25" x 28.25" (93 x 82 x 72 cm)
Shipping Weight	78 lbs (35 kg)
Warranty	5 years



## Teachwell® Mobile Digital Workspace

This compact technology hub consolidates laptop or LCD/CPU, keyboard and mouse, portable document camera, DVD player, projection device, and more on to one stable platform. Untether from a desk or podium and move to deliver collaborative curriculum.



24-220-055

Recommended accessories:

Laptop Kit 97-585

LCD Kit 97-586 (includes  
Universal CPU holder)

Projector Shelf 97-598-055

Power Strip 97-711  
(North America only)

Power Strip Mounting Kit  
60-590



## WorkFit-A Sit-Stand Workstation

Side or rear desk attachment is ideal for cramped work spaces and corner configurations



Single LCD  
LD 24-313-026  
Dual LCD  
24-312-026

With Suspended  
Keyboard  
Single LCD  
LD 24-390-026  
HD 24-391-026  
Dual LCD  
24-392-026

Platinum with  
Suspended Keyboard  
24-422-227

With Worksurface+  
Single LCD  
LD 24-317-026  
HD 24-314-026  
Dual LCD  
24-316-026

For Apple  
Aluminum construction  
24-414-227

Recommended  
accessories:  
Grommet Mount for  
WorkFit-A and WorkFit-A  
with Worksurface+ 97-692



## WorkFit-P Sit-Stand Workstation

Height-adjustable platform is ideal for laptop computers or as an extra surface for writing and drawing.



24-408-227 For Apple Aluminum construction  
24-383-026 Polished aluminum/black

## WorkFit-D Sit-Stand Desk

The large 47.6" (121 cm) worksurface on this non-powered, height-adjustable desk is perfect for those who need a lot of work space and wish to keep existing desktop setups



24-271-926 light grey  
24-271-927 walnut (available Americas, APAC)  
24-271-928 birch

## Neo-Flex® All-In-One Lift Stand

Transport a workstation anywhere using the integrated handle—then lock it up at night (keyboard/monitor not included)



33-326-085

Secure Clamp (SC)  
33-338-085

## LX Desk and Wall Mount Arm

Position your LCD or TV for maximum comfort and productivity

Share your screen! Monitor pans 360° and rotates for portrait/landscape viewing, facilitating shared use by students, faculty and staff of all heights



Desk Mount

45-241-026

Desk Mount, Tall Pole

45-295-026

Wall Mount

45-243-026

Sit-Stand Desk Mount

45-360-026

Sit-Stand Wall Mount

45-353-026

HD Sit-Stand Desk

Mount

45-384-026

HD Sit-Stand Wall

Mount

45-383-026

LX Dual Side-by-Side

45-245-026

LX Dual Stacking

45-248-026

Recommended accessories:

Thin Client Mount  
80-107-200

Size-adjustable holder  
fits a wide range of small  
computers



## Neo-Flex Projector Ceiling Mount

Universal mounting pattern fits projectors with most hole patterns



60-623

## Neo-Flex Cantilever Wall Mount

This low-profile cantilever mount is well-suited for those applications where seamless integration counts most.



VHD 45-385-223  
UHD 61-132-223

## Glide Wall Mount

Effortlessly raise and lower your TV or large display and never see the mount! Tilt the screen up to 10° to avoid glare. This revolutionary design delivers unprecedented height adjustability in an extremely low profile module.



LD-X 61-113-085  
HD 61-061-085  
VHD 61-128-085

## Neo-Flex Desk Mount Tablet Arm

Works with many tablets and eReaders, including Apple iPad, Barnes & Noble Nook and Amazon Kindle



45-306-101

## Interactive Arm

Lift, swing or turn your display in any direction! Features 20" (51 cm) vertical and 17.5" (45 cm) side-to-side adjustment.



LD 45-361-026  
VHD 45-296-026  
UHD 45-304-026

## Neo-Flex Ceiling Mount

A sturdy single flat panel ceiling mount, with universal adapter, that's ideal for any ceiling application—whether TV viewing or digital signage.



60-842-223

## Neo-Flex Mobile MediaCenter

Roll presentation content, video conferencing and digital signage to the point of need

Moves easily through small doorways and over thresholds



LD 24-190-085  
VHD 24-191-085  
UHD 24-192-085

Camera Shelf Kit  
97-491-085  
660/700/800 mm Kit  
97-489


## SIM90 Signage Integration Mount

Fully integrated, all-in-one wall mounting system includes all components for installing large display digital signage solutions; one box, one part number—everything you need including VESA-compliant thin client CPU holder, portrait-to-landscape pivot and fasteners.



60-600-009

**JUST  
STAND  
.ORG**



## Smart Mounting and Mobility Solutions for the Entire Campus

© 2014 Ergotron, Inc. rev. 04/21/2014/EA Literature made in US  
Content is subject to change without notification  
Ergotron devices are not intended to cure, treat, mitigate or prevent any disease



**ERGOTRON**®

**NORTEK** A Nortek Company